



**CORNWALL**  
**COUNCIL**  
*one and all • onen hag oll*

# Tide Tables 2026

## Bude Harbour



# Cornwall IFCA general information sheet



Fish and shellfish minimum sizes

[www.cornwall-ifca.gov.uk](http://www.cornwall-ifca.gov.uk)

## Fish minimum sizes

The following apply to both recreational and commercial sectors.

Bass	42cm
Black Seabream+	23cm
Brill+	30cm
Conger Eel+	58cm
Dab+	15cm
Flounder+	25cm
Grey Mullet+	20cm
Hake+	30cm
Lemon Sole+	25cm
Megrim+	25cm
Red Mullet+	15cm
Turbot+	30cm
Witch Flounder+	28cm

The following size applies only to recreational fishing.

Red Seabream+	25cm
---------------	------

\* This minimum size is prescribed by a legacy byelaw inherited by Cornwall IFCA. There are some small areas within the Cornwall IFCA district where this byelaw does not apply. Please contact us for more information.

Minimum sizes that apply to only the commercial fishing sector. The Landing Obligation may require vessels to retain fish smaller than are listed.

Anchovy	12cm
Blue Ling	70cm
Cod	35cm
Haddock	30cm
Herring	20cm
Horse Mackerel	15cm
Ling	63cm
Mackerel	20cm
Plaice	27cm
Pollack	30cm
Red Seabream	33cm
Saithe	35cm
Sardine	11cm
Sole	24cm
Whiting	27cm

## Crustacea

	Carapace
Crawfish+	110mm
Edible Crab female+	150mm
Edible Crab male+	160mm
Spider Crab+	130mm
Lobster+	90mm

Applies to both commercial and recreational fishing

The following sizes apply to commercial fishing only.

Velvet Crab:	65mm
Deepwater Rose Shrimp:	22mm (carapace)
Norway Lobster:	85mm overall length, or 25mm carapace or tails 46mm

## Shellfish

Bivalve molluscs and whelks shall be measured across the longest part of the shell. The following sizes apply to commercial fishing only.

Bean Solen	65mm
Carpet Shell	38mm
Clam	40mm
Donax Clam	25mm
Hard Clam	60mm
Grooved Carpetshell	40mm
Queen Scallop	40mm
Razor Clam	100mm
Scallop	100mm
Short Necked Clam	35mm
Surf Clam	25mm
Whelk	45mm
Octopus	750g

The commercial harvesting of bivalve molluscs for human consumption is subject to them being taken from a designated area where water quality is monitored and classified as suitable by the Foods Standards Agency. For local information on harvesting areas and shellfish depuration please contact the Port Health Authority on 01872 324277


**Mussel (Fal Fishery)** – A person must not remove from the Fal Fishery Area any mussel less than 50mm in length.

**Native Oyster (Fal Fishery)** – A person must not remove from the Fal Fishery Area any native oyster which will pass through a circular aperture of 72mm diameter when the shell is laid flat across the aperture. [Please note a Fal Fishery licence is required to remove the above two species. See reverse for more details.]

**Cockles in estuaries** – No person shall remove from Cornish estuaries any cockle that will pass through a space of 20mm width. This applies to both commercial and recreational fishing.

**Winkle** – A Cornwall IFCA code of practice requests that winkles should only be retained if they fail to pass through a riddle constructed of rigid mesh or bars spaced at least 16mm apart.

The Cornwall IFCA District extends from Marsland Mouth on the north coast of Cornwall, around to the western end of the Plymouth Breakwater in Plymouth Sound on the south coast. This includes the rivers and estuaries up to tidal limits, and all waters out to six nautical miles. The District is extended by many exposed rocks including the Eddystone rocks.



**Edible Crab**  
*Cancer pagarus*

Minimum size  
Male: 160mm  
Female: 150mm





**Scallop**  
*Pecten maximus*  
Minimum  
size 100mm



**Spider Crab**  
*Maja spp.*

Minimum size,  
both male and  
female: 130mm



**Crawfish**  
*Palinurus Elephas*

Minimum size 110mm (carapace).

Crawfish which are 'berried' (carrying eggs) are protected and must be returned to the sea.

Crawfish with a 'V' notch or a mutilated tail flap must be returned to the sea.



All fish species to be measured from the tip of the snout to the end of the tail fin.



**Lobster**  
*Homarus gammarus*

Minimum size 90mm (carapace)

Lobsters which are 'berried' (carrying eggs) are protected and must be returned to the sea.

Lobsters with a 'V' notch or a mutilated tail flap must be returned to the sea.

**Crawfish** – measured as the length of the carapace from the tip of the rostrum to the midpoint of the distal edge of the carapace

**Edible Crab** – measured as the maximum width of the carapace measured perpendicular to the midline

**Lobster** – measured as the length of the carapace, parallel to the mid line, from the back of either eye socket to the distal edge of the carapace

**Spider Crab** – measured as the length of the carapace, along the midline, from the edge of the carapace between the rostrums to the posterior edge of the carapace

**Velvet Crab** – measured as the width of the carapace across the broadest part of the back (excluding spines)

**Cornwall IFCA River and Estuarine Fishing Nets Byelaw:** It is an offence to use a net for sea fish in any of the rivers or estuaries within the Cornwall IFCA district, this does not apply to various low impact nets such as; landing nets, sand eel seine nets used under a permit issued by Cornwall IFCA and ebb nets used under a permit issued by Cornwall IFCA. Please visit the website or contact the office for more information.

**Shellfish permit:** An annually renewable permit is required for any person fishing from a vessel and removing more than five animals from the species of lobster, crawfish, edible or spider crab (with no more than two from the species of lobster and crawfish) per day. Shellfish permits are only issued for licenced and registered fishing boats.

**Fal Fishery:** The native oyster and mussel fisheries in the Fal are under the management of Cornwall IFCA. If you wish to dredge for, or hand-gather oysters or mussels from within the area covered by the Fal Fishery Order you will need to apply to Cornwall IFCA for a Fal Fishery licence.

**www.cornwall-ifca.gov.uk Tel: 01872 324284**

Cornwall IFCA, Chi Gallos, Hayle Marine Renewables Business Park, North Quay, Hayle, Cornwall TR27 4DD

## **Cornwall Harbours Board and Harbour Authority**

In 2023 the Cornwall Harbours Harbour Revision Order was made bringing together all of Cornwall's Municipal Harbours under one legal structure. Through an MOU, with Cornwall Council, Cornwall Harbours Board was formed in September 2023. Cornwall Harbours Board, a Harbour Management Committee, is responsible for the operation of all of the municipal ports and harbours in Cornwall which includes Bude, Newquay, Portreath, St Ives, Penzance, Prince of Wales Pier (Falmouth), Penryn, Truro, Portscatho and Portwrinkle. Other assets that the Maritime Service are responsible for include Saltash and Downderry.

Cornwall Harbours Board consists of 12 members, with six being Councillors and six Independent Board members who are appointed following a skills audit. There are also non-voting, co-opted members, who are stakeholder representatives, appointed to it. Cornwall Harbours Board reports to the Full Council who are the Duty Holder.

Our harbours are of a varying size and operation, with some offering commercial facilities and others more related to the fishing industry or leisure market. The principle of the Harbour Revision Order is to create a self-sustaining portfolio of harbours. Our harbours are financed through income generated within the boundaries established in the Harbour Order of each harbour. Any surplus generated across the harbours is deposited into a reserve account that is ring fenced, meaning this can only be spent within the statutory harbour areas.

For more information on Cornwall Harbours Board, including regular news updates please see: **[www.cornwallharbours.co.uk](http://www.cornwallharbours.co.uk)**



**Maritime Section, Town Quay, Truro, TR1 2HJ**

**t: 01872 324216**

**e: [harbouoffice@cornwall.gov.uk](mailto:harbouoffice@cornwall.gov.uk)**

# Ports and Marine Facilities Safety Code April 2025

The Ports and Marine Facilities Safety Code sets out a national standard for every aspect of port and marine facility safety. Its aim is to enhance safety for everyone who works in, or uses, ports, harbours, marinas and other marine facilities.

The Code should be read in conjunction with its companion Guide to Good Practice on Port Marine Operations. Copies of both the Code and the Guide are available on the Department of Transport website.

The Code is based around 10 key measures identified as critical to the management of port and marine facility safety, which we are audited against.

	<b>1 Duty Holder:</b> whose members are typically, individually and collectively, accountable for compliance with the Code, and their organisation's performance in ensuring safe marine operations
	<b>2 Designated Person:</b> provides independent assurance about the operation of the organisation's marine safety management system and must have direct access to the Duty Holder.
	<b>3 Legislation:</b> the Duty Holder must be aware of and review the organisation's legal powers, duties and responsibilities based on applicable local and national legislation and seek additional powers if necessary to improve marine safety.
	<b>4 Duties and Powers:</b> organisations must comply with any statutory duties and responsibilities they have.
	<b>5 Risk Assessment:</b> organisations must ensure that risks are formally assessed and are eliminated or reduced to the lowest possible level, so far as is reasonably practicable, in accordance with good practice.
	<b>6 Marine Safety Management System:</b> organisations must operate an effective MSMS which is based on formal risk assessment.
	<b>7 Review and Audit:</b> organisations must review and audit performance against applicable requirements of the Code.
	<b>8 Competence:</b> organisations must use people who are appropriately trained, qualified and experienced to manage marine safety.
	<b>9 Plan:</b> organisations must publish a marine safety plan showing how the standards in the Code will be met and produce a report assessing performance against that plan at least every three years.
	<b>10 Conservancy Duty:</b> organisations must ensure their facilities are fit for purpose and have a duty of reasonable care to ensure that any vessel can utilise them safely.

A copy of our annual report and more information regarding our audit results can be found on the Cornwall Harbours Website:

<https://www.cornwallharbours.co.uk/document-centre/>

## **Bude Harbour information**

### **Directions for entry to Bude Harbour**

The approach to Bude, either from the north or south, should be made from a south westerly direction in line with the first pair of leading marks.

### **The Outer Pair of Beacons, Bearing 075 30 (T) Consists of:**

Front mark: White spar with yellow diamond top mark.

Rear mark: White flag staff, both on cliff top on north side of harbour.

Immediately on passing Barrel Rock (half cable north of Chapel Rock and marked by a beacon barrel) turn to starboard and pick up the inner pair of leading marks from which the sea lock is clearly visible.

### **The Inner Pair of Beacons, Bearing 131 30 (T) Consists of:**

Front mark: White spar with yellow triangle top mark.

Rear mark: White spar with yellow triangle top mark, placed half cable west of sea lock entrance.

Entry to the harbour is made by leaving Chapel Rock (linked to the mainland by a Breakwater) to Starboard. Head towards the Lock in the Channel marked by two pairs of leading beacons.

Entry to the Harbour at night is **not** recommended.

Heavy ground swells and breaking seas may prohibit entry and exit.

The Harbour dries out at each tide and entry to vessels is normally restricted to two hours either side of high water.

For locking, a minimum depth of 2.4m over the lock sill is required. A heavy ground swell may also prohibit the operation of the lock.

Prior notification of arrival should be made to the Harbour Master who will require 48hrs notice for locking.

### **Radio - VHF call sign - Bude Harbour**

### **Listening channel 16 when vessels expected**

### **Working frequency channel 12**

Contact:

Harbour Master: Paul Vincent

Bude Visitor Centre, The Crescent, Bude, Cornwall EX23 8LE

t: 07816 077 755

e: paul.vincent@cornwall.gov.uk

## **Bude Harbour information**

### **Slipway Users – Advisory Information**

Bude Harbour consists of two parts, the Haven where moorings are located and the lower wharf on the canal beyond the Sea Lock gates. The haven is defined on the northern side by the River Neet which forms a channel out to the sea and is protected from south westerly swells by the breakwater which runs across the front of the haven. Due to its westerly facing direction the harbour is open to large groundswells and storms, this can make it difficult to exit and enter so care should be taken.

### **Exiting the Harbour**

If the sea is flat calm boats can leave the harbour as soon as they are floating. If there is a small ground sea running boats can leave the harbour approximately one and a half hours before high tide. When leaving the harbour boats should keep to the natural channel created by the river avoiding mooring chains and buoys. Boats should head straight out to sea keeping as close to barrel rock as possible, do not attempt to cut across Summerleaze beach and be aware of other water users and anglers fishing off the breakwater. Please note that waves breaking around the barrel can seem smaller from the shore than they actually are.

Do not attempt to leave the harbour if there is a large ground sea running and large waves are breaking around the barrel. If you are unsure call the Harbour Master 07816 077 755. If no other boats have left the harbour then this is a good indication that it is too dangerous.

### **Entering the Harbour**

The harbour can be entered up to one and a half hours after high tide. When entering the harbour please use the navigation aids. Care must be taken if entering when groundswell is running. **Do not enter from a northerly direction** i.e. across Summerleaze beach as you will leave the boat open to the possibility of being hit broadside by a wave. Always enter from a southerly direction i.e. preferably from the back of the breakwater. Again be aware of other water users and fishermen.

### **VHF Radio**

The use of VHF radio is strongly advised.

### **Parking**

Parking at the lock gates (Outside the Harbour Office), is restricted to mooring holders only. Visitors should park in the nearby Wharf or Crescent public carparks.

## Useful telephone numbers and addresses

---

### **Cornwall Council**

Bude Harbour Master: 07816 077 755  
Truro & Penryn Harbour: 01872 324216

---

### **H.M. Coastguard**

Emergency: 999  
Falmouth Coastguard: 01326 317575

---

### **H.M. Customs & Excise**

National Yachtline: 0300 123 2012  
Switchboard: 0300 123 2012  
Emergency General Aviation Report:  
0845 723 1110

---

### **Cornwall Port Health Authority**

t: 01872 324277

---

### **Police**

Emergency: 999  
Non-emergency: 101  
Crimestoppers: 0800 555111

---

### **Hospitals**

NHS advice: 111  
Royal Cornwall Hospital Truro:  
01872 250000  
Stratton Community Hospital Bude:  
01288 287700

---

### **Tourist Information**

Bude: 01288 354240

---

### **Environment Agency**

Incident: 0800 807060  
For advice on 'salmon fishing'  
regulations within the river Fal, please  
telephone: 03708 506 506

---

### **The Royal Yachting Association**

RYA House,  
Ensign Way, Hamble,  
Southampton, SO31 4YA  
t: 023 8060 4100  
e: enquiries@rya.org.uk  
(Addresses of sailing schools, yacht  
clubs and windsurfing centre)

---

### **Ofcom**

Riverside House,  
2a Southwark Bridge Road,  
LONDON, SE1 9HA  
t: 0300 123 3333 or 0207 981 3040

---

### **Marine Management Organisation (MMO)**

Office 1, Chi Gallos  
Hayle Marine Renewables Business Park  
North Quay, Hayle  
Cornwall, TR27 4DD  
t: 0208 026 9060  
e: western@marinemangement.org.uk

---

### **Inshore Fisheries and Conservation Authority (IFCA)**

Office 2, Chi Gallos,  
Hayle Marine Renewables Business  
Park, North Quay,  
Hayle, Cornwall, TR27 4DD  
For advice on 'sea fishing' regulations  
within the river Fal, please telephone:  
t: 01872 324284  
e: enquiries@cornwall-ifca.gov.uk

---

## History of Bude Harbour

**Bude Harbour and Canal:** In the 18th century, Bude had a small unprotected tidal harbour. The Bude Canal Company built a canal and improved the harbour. Around thirty small boats use the tidal moorings in the harbour during the summer months. Most are sport fishermen, but there is also some small-scale, semi-commercial fishing for crab and lobster.

There is a wharf on the Bude Canal about half a mile from the sea lock that links the canal to the tidal haven. North Cornwall District Council administered the canal until its abolition in March 2009. Bude Harbour is now managed by Cornwall Council's Maritime Department.

The canal is one of the few of note in south-west England. Its original purpose was to take small tub boats of mineral rich sand from the beaches at Bude and carry them inland for agricultural use on the fields. A series of inclined planes carried the boats over 400 vertical feet (120m) to Red Post, where the canal branched south along the upper Tamar Valley towards Launceston, east of Holsworthy and north to the Tamar Lakes that fed the canal. The enterprise was always in financial difficulty, but it carried considerable volumes of sand and also coal from South Wales. The arrival of the railway at Holsworthy and the production of cheap manufactured fertiliser undermined the canal's commercial purpose, and it was closed down and sold to the district municipal water company. However, the wharf area and the harbour area enjoyed longer success and coastal sailing ships carried grain across to Wales and coal back to Cornwall.

The canal was regenerated in 2009 by North Cornwall District Council which brought it back into a good state of repair and it is now used by people for leisure activities such as fishing, canoeing, walking and running etc.

**Bude Sea Lock:** The sea lock, which allows vessels to enter the sea from the canal and vice versa, is one of only two working manually operated sea locks in the UK. Built in 1823 and reconstructed in 1835, it is an iconic feature in the town.

**The Breakwater:** The first breakwater was constructed in 1819 to protect the Bude Canal but was destroyed by a storm in 1838. The present structure dates from 1839-43, and was built by George Casebourne, engineer to the Bude Harbour and Canal Company. The low wall with its sloping seaward side stands only 4 feet above the high water mark of Spring tides.

**Chapel Rock:** Bude is said to have originated at Chapel Rock, where a chapel was built in the Middle Ages. This hermitage, dedicated to the Holy Trinity and St Michael in 1400, housed a light that was used to guide vessels safely into the harbour.

The name Bude, originally recorded as 'Bede's Haven' is thought by some to have derived from 'bede', an old Saxon word for 'prayer'

**Tommys' Pit:** On the seaward side of Chapel Rock is Tommys' Pit, Bude's first bathing pool. Originally for gentlemen only, on payment to the attendant of 2d, the ladies were confined a safe distance away at 'Maer Ladies Bathing Beach', present day Crooklets Beach.

**Barrel Rock:** Barrel Rock stretches out to sea and is so called after its beacon, a barrel supported on a metal pole. This is used to guide shipping around this dangerous rock.

## Meteorology Beaufort Wind Scale

Beaufort Scale Number	Description and limit of wind speed in knots	Sea Criterion
0	Calm Less than 1	Sea like a mirror.
1	Light air 1 - 3	Ripples with the appearance of scales are formed but without foam crests.
2	Light breeze 4 - 6	Small wavelets, still short but more pronounced, crests have a glassy appearance and do not break.
3	Gentle breeze 7 - 10	Large wavelets. Crests begin to break. Foam of glassy appearance. Perhaps scattered white horses.
4	Moderate breeze 11 - 16	Small waves, becoming longer; fairly frequent white horses.
5	Fresh breeze 17 - 21	Moderate waves, taking a more pronounced long form; many white horses are formed. (Chance of some spray).
6	Strong breeze 22 - 27	Large waves begin to form; the white foam crests are more extensive everywhere (Probably some spray).
7	Near gale 28 - 33	Sea heaps up and white foam from breaking waves begins to be blown in streaks along the direction of the wind (Spindrift begins to be seen).
8	Gale 34 - 40	Moderately high waves of greater length; edges of the crest break into spindrift. The foam is blown in well marked streaks along the direction of the wind.
9	Strong gale 41 - 47	High waves. Dense streaks of foam along the direction of the wind. Sea begins to roll. Spray may affect visibility.
10	Storm 48 - 55	Very high waves with long overhanging crests. The resulting foam in great patches is blown in dense white streaks along the direction of the wind. On the whole the surface of the sea takes a white appearance. The rolling of the sea becomes heavy and shocklike. Visibility affected.
11	Violent Storm 56 - 63	Exceptionally high waves. (Small and medium sized ships might be for a time lost to view behind the waves). The sea is completely covered with long white patches of foam lying along the direction of the wind. Everywhere the edges of the wave crests are blown into froth. Visibility affected.
12	Hurricane 64 - 71	The air is filled with foam and spray. Sea completely white with driving spray; visibility very seriously affected.

## UK Shipping Forecast Areas

with effect from 4 February 2002





Lifeboats

# Struggling in the water?

**Floating greatly increases your chances of survival.**

**Relax and try to breathe normally**

**Tilt your head back with ears submerged**

**It's okay if your legs sink, we all float differently**

**Move your hands and legs to stay afloat**

**Remember it. Practise it.**  
**FLOAT TO LIVE**

Photo: RNLI

  
**#RESPECTTHEWATER**

**The RNLI is the charity that saves lives at sea**

The Royal National Lifeboat Institution, a charity registered in England and Wales (209603), Scotland (SC037736), the Republic of Ireland (CHY 2678 and 20003326), the Bailiwick of Jersey (14), the Isle of Man (1308 and 006329F), the Bailiwick of Guernsey and Alderney, of West Quay Road, Poole, Dorset, BH15 1HZ

J251177565

# SWIMMERS - BE SEEN BY BOATS



**The sea is shared**  
**Wear a bright swim hat**

**Consider a towfloat in high boat traffic areas or when swimming off shore**

Swim happy, swim safe.

Let lifeguards know your swim plans for longer swims.

[www.outdoorswimmingsociety.com/survive](http://www.outdoorswimmingsociety.com/survive)

#outdoorswimmingsociety #sharetheswimlove

The  
**Outdoor  
Swimming**  
Society

## **Bude Canal Code of Conduct - For waterway users**

Permits are required on the canal available from the Tourist information Centre 01288 354240.

For boat launching contact the Harbour Master 07816 077 755.

For angling on the Bude Canal contact Bude Angling Association 01288 353986.

- **Avoid crossing the bows of oncoming craft at close quarters.**
- **Beware of beginner canoeists.**
- **Launch and recover craft from designated areas only.**
- **Ensure your boat is free from weed and wash down equipment after use to prevent spread of invasive species.**
- **Give way to those engaged in organised competitions, please note angling competition every Sunday morning 9am - 1pm.**
- **Pass anglers in single file at a steady speed, passing along the centre of the canal channel.**
- **Angling from boats is not permitted.**
- **Carry all craft around the inland locks using designated portage points only.**
- **Ensure there is no damage to the canal or its banks and nuisance is not caused to residents, other canal users or wildlife.**

- **Do not swim, due to underwater hazards.**
- **Ice is never safe, keep off.**
- **Do not approach Weir, keep to far side of bank.**
- **Beware of waterborne diseases, wash hands before eating.**
- **Cornwall Council recommends you wear lifejackets or buoyancy aides while on the water.**

**Note:** Cornwall Council will not be held responsible for any loss or damage to any craft or contents, whether caused by negligence or otherwise, boaters bring their craft to Bude Canal do so at their own risk.

## **Bude Harbour**

### **Use of Jet Ski's (Pwc) and Power Boats Operating rules you should know**

PWC's. Jet Ski's etc. can be launched from Bude Harbour subject to:  
Paying launch fees and having insurance cover.

All vehicles and trailers must be parked within the carparks and not left at the lock gates. All PWC's must proceed at a speed no greater than 4 knots between the Sea Lock and Chapel Rock.

Please be aware of other harbour users including swimmers, anglers etc. and stay well away from the bathing areas and public beaches.

All PWC users are strongly advised to follow all the recommendations from the RYA. Riding a PWC between sunset and sunrise is prohibited.

Don't drink and drive a PWC.

Bude Harbour limits range from Falcon Bridge to 400yards out to sea in an arc from the low water line at Barrel Rock. Any activity within that area is the responsibility of the Harbour Master.

**Any misuse of a PWC should be reported to the Harbour Master.**

**P Vincent - Bude Harbour Master**

**e: [paul.vincent@cornwall.gov.uk](mailto:paul.vincent@cornwall.gov.uk) m: 07816 077 755**

**Always wear your Kill Cord and ride responsibly**





# WILDLIFE BEST PRACTICE

In order to safeguard and continue enjoying the wildlife we share our coastal waters with, it is important that we all adopt best practice to minimise any disturbance our boating activities may cause.

## IF APPROACHED

If approached by wildlife maintain a steady course or remain stationary. Let wildlife decide when to leave

## PROTECTED?

Contact the local Wildlife Trust & find out if the area you are visiting has protected habitats & wildlife

## TIMING

View for up to 15 mins then move away slowly

## DISTANCE

Keep a distance of 100m / 300ft or more when viewing

## SLOW DOWN

Less than 5 knots or no-wake speed

## BE PREDICTABLE

Avoid erratic movements & maintain a steady course

## KEEP QUIET

Avoid revving engines & speak quietly to see more



# INVASIVE SPECIES REMOVAL

Aquatic invasive plant and animal species can cause damage to your PWC and equipment, disrupt your boating activities and harm our local environment. To ensure we do not introduce or spread them round our UK waters follow these steps every time you recover your PWC:

## CHECK

for any visible biofouling on your craft, remove & dispose of in the bin

## CLEAN

your craft, equipment, clothing and trailer as well as flushing the engine with fresh water to remove hidden biofouling

## AIR DRY

your craft, equipment, clothing & trailer for as long as possible. Species can survive several weeks in damp conditions

[THEGREENBLUE.ORG.UK](http://THEGREENBLUE.ORG.UK)

**RYA** BRITISH MARINE  
A joint environment initiative

**PWP**  
Personal Watercraft Partnership

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	TH	03 07	3.2	15 39	3.4
2	F	04 08	3.6	16 39	3.8
3	SA O	05 04	4.0	17 33	4.0
4	SU	05 56	4.3	18 23	4.1
5	M	06 44	4.4	19 10	4.1
6	TU	07 29	4.4	19 53	3.9
7	W	08 12	4.2	20 35	3.6
8	TH	08 54	3.8	21 16	3.2
9	F	09 35	3.4	21 57	2.8
10	SA C	10 18	2.9	22 43	2.4
11	SU	11 06	2.5	23 37	2.1
12	M			12 05	2.1
13	TU	00 46	1.9	13 18	2.0
14	W	02 01	2.0	14 31	2.1
15	TH	03 07	2.3	15 33	2.4
16	F	03 59	2.7	16 22	2.7
17	SA	04 42	3.1	17 03	3.0
18	SU ●	05 20	3.4	17 39	3.3
19	M	05 57	3.7	18 15	3.5
20	TU	06 32	3.8	18 49	3.6
21	W	07 07	3.9	19 24	3.7
22	TH	07 42	4.0	19 59	3.6
23	F	08 19	3.9	20 36	3.5
24	SA	08 57	3.7	21 16	3.2
25	SU	09 40	3.3	22 01	2.9
26	M ☽	10 30	3.0	22 56	2.5
27	TU	11 33	2.6		
28	W	00 08	2.3	12 53	2.3
29	TH	01 36	2.3	14 20	2.4
30	F	02 59	2.7	15 37	2.9
31	SA	04 07	3.2	16 38	3.4

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	SU ○	05 01	3.8	17 28	3.8
2	M	05 49	4.2	18 13	4.1
3	TU	06 31	4.4	18 53	4.1
4	W	07 11	4.4	19 31	4.0
5	TH	07 48	4.2	20 06	3.8
6	F	08 22	3.9	20 39	3.4
7	SA	08 55	3.5	21 12	3.0
8	SU	09 28	3.0	21 46	2.6
9	M ☾	10 05	2.5	22 28	2.1
10	TU	10 52	1.9	23 27	1.7
11	W			12 04	1.5
12	TH	01 04	1.5	13 52	1.5
13	F	02 38	1.8	15 13	1.9
14	SA	03 39	2.3	16 04	2.4
15	SU	04 23	2.9	16 44	2.9
16	M	05 00	3.4	17 20	3.3
17	TU ●	05 36	3.8	17 55	3.7
18	W	06 11	4.1	18 29	3.9
19	TH	06 46	4.3	19 03	4.0
20	F	07 21	4.3	19 37	4.0
21	SA	07 57	4.2	20 13	3.8
22	SU	08 34	3.9	20 50	3.5
23	M	09 14	3.5	21 31	3.0
24	TU ☽	10 01	2.9	22 24	2.5
25	W	11 06	2.3	23 42	2.0
26	TH			12 39	1.9
27	F	01 28	2.0	14 22	2.1
28	SA	03 00	2.5	15 38	2.7

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date	HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
	High Water			
	Morning		Afternoon	
	Time	m	Time	m
1 SU	04 02	3.2	16 31	3.3
2 M	04 50	3.8	17 14	3.8
3 TU O	05 33	4.2	17 54	4.0
4 W	06 10	4.4	18 29	4.1
5 TH	06 45	4.3	19 02	4.1
6 F	07 17	4.2	19 33	3.9
7 SA	07 48	3.9	20 02	3.6
8 SU	08 17	3.5	20 31	3.2
9 M	08 46	3.0	21 01	2.7
10 TU	09 18	2.5	21 37	2.2
11 W C	09 58	1.9	22 27	1.7
12 TH	11 00	1.4	23 55	1.3
13 F			12 59	1.2
14 SA	01 58	1.5	14 41	1.6
15 SU	03 06	2.1	15 34	2.2
16 M	03 51	2.8	16 14	2.8
17 TU	04 30	3.3	16 50	3.4
18 W	05 06	3.8	17 25	3.8
19 TH ●	05 43	4.2	18 01	4.1
20 F	06 19	4.4	18 37	4.3
21 SA	06 56	4.5	19 13	4.2
22 SU	07 34	4.3	19 50	4.0
23 M	08 13	3.9	20 29	3.6
24 TU	08 56	3.3	21 14	3.0
25 W D	09 47	2.6	22 12	2.4
26 TH	10 58	2.0	23 37	1.9
27 F			12 37	1.7
28 SA	01 24	2.0	14 17	2.0
29 SU	02 47	2.6	15 22	2.6
30 M	03 44	3.2	16 10	3.2
31 TU	04 28	3.6	16 50	3.6

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	W	05 07	3.9	17 26	3.8
2	TH O	05 43	4.0	18 00	3.9
3	F	06 15	4.0	18 31	3.9
4	SA	06 46	3.8	19 00	3.7
5	SU	07 15	3.6	19 29	3.5
6	M	07 44	3.3	19 58	3.2
7	TU	08 13	2.9	20 28	2.8
8	W	08 45	2.4	21 03	2.3
9	TH	09 24	1.9	21 51	1.8
10	F C	10 22	1.4	23 08	1.5
11	SA	11 59	1.2		
12	SU	00 56	1.5	13 45	1.5
13	M	02 14	2.0	14 46	2.1
14	TU	03 06	2.6	15 32	2.7
15	W	03 49	3.3	16 12	3.3
16	TH	04 30	3.8	16 51	3.8
17	F ●	05 10	4.2	17 30	4.1
18	SA	05 51	4.4	18 10	4.3
19	SU	06 33	4.4	18 51	4.2
20	M	07 15	4.2	19 33	4.0
21	TU	07 59	3.7	20 17	3.6
22	W	08 48	3.1	21 09	3.0
23	TH	09 45	2.5	22 12	2.5
24	F D	10 57	2.0	23 33	2.2
25	SA			12 24	1.9
26	SU	01 02	2.3	13 48	2.1
27	M	02 16	2.6	14 50	2.6
28	TU	03 11	3.0	15 38	3.0
29	W	03 57	3.3	16 19	3.3
30	TH	04 36	3.5	16 55	3.5

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	F O	05 12	3.6	17 29	3.6
2	SA	05 45	3.5	18 01	3.6
3	<b>SU</b>	06 17	3.5	18 32	3.5
4	M	06 48	3.3	19 03	3.4
5	TU	07 19	3.1	19 34	3.1
6	W	07 50	2.8	20 07	2.8
7	TH	08 25	2.4	20 45	2.5
8	F	09 07	2.0	21 34	2.1
9	SA ☾	10 02	1.7	22 38	1.9
10	<b>SU</b>	11 15	1.6	23 56	1.9
11	M			12 37	1.7
12	TU	01 11	2.2	13 47	2.1
13	W	02 12	2.6	14 42	2.7
14	TH	03 04	3.1	15 31	3.2
15	F	03 53	3.6	16 17	3.7
16	SA ●	04 40	4.0	17 03	4.0
17	<b>SU</b>	05 28	4.1	17 49	4.2
18	M	06 15	4.1	18 35	4.2
19	TU	07 04	4.0	19 23	4.0
20	W	07 53	3.6	20 14	3.7
21	TH	08 45	3.2	21 08	3.3
22	F	09 42	2.7	22 07	2.9
23	SA ☽	10 44	2.3	23 13	2.6
24	<b>SU</b>	11 53	2.2		
25	M	00 23	2.5	13 02	2.2
26	TU	01 30	2.5	14 05	2.4
27	W	02 29	2.7	14 58	2.6
28	TH	03 19	2.8	15 44	2.9
29	F	04 03	3.0	16 25	3.1
30	SA	04 43	3.1	17 02	3.2
31	<b>SU</b> O	05 20	3.1	17 37	3.3

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	M	05 55	3.1	18 12	3.3
2	TU	06 29	3.1	18 46	3.3
3	W	07 03	3.0	19 20	3.2
4	TH	07 37	2.8	19 55	3.0
5	F	08 14	2.6	20 35	2.8
6	SA	08 55	2.4	21 19	2.6
7	SU	09 42	2.2	22 11	2.5
8	M ☾	10 38	2.1	23 10	2.4
9	TU	11 42	2.1		
10	W	00 15	2.5	12 49	2.3
11	TH	01 21	2.7	13 54	2.6
12	F	02 23	3.0	14 53	3.1
13	SA	03 21	3.4	15 49	3.5
14	SU	04 17	3.7	16 43	3.8
15	M ●	05 12	3.9	17 35	4.1
16	TU	06 05	4.0	18 27	4.2
17	W	06 57	4.0	19 18	4.2
18	TH	07 47	3.8	20 08	4.0
19	F	08 36	3.5	20 57	3.8
20	SA	09 25	3.2	21 47	3.4
21	SU ☽	10 16	2.8	22 39	3.0
22	M	11 10	2.5	23 35	2.7
23	TU			12 09	2.3
24	W	00 36	2.5	13 12	2.3
25	TH	01 39	2.4	14 14	2.4
26	F	02 39	2.5	15 10	2.6
27	SA	03 34	2.6	15 59	2.9
28	SU	04 21	2.8	16 42	3.1
29	M ○	05 03	3.0	17 22	3.3
30	TU	05 41	3.1	17 58	3.5

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	W	06 17	3.2	18 33	3.5
2	TH	06 51	3.2	19 08	3.5
3	F	07 25	3.2	19 43	3.5
4	SA	08 00	3.2	20 19	3.4
5	<b>SU</b>	08 37	3.1	20 58	3.3
6	M	09 18	2.9	21 41	3.1
7	TU ☾	10 03	2.7	22 30	2.9
8	W	10 57	2.5	23 28	2.7
9	TH			12 01	2.5
10	F	00 37	2.7	13 14	2.5
11	SA	01 51	2.8	14 27	2.8
12	<b>SU</b>	03 02	3.0	15 34	3.3
13	M	04 07	3.4	16 34	3.7
14	TU ●	05 06	3.8	17 29	4.1
15	W	05 59	4.0	18 20	4.4
16	TH	06 48	4.1	19 07	4.5
17	F	07 33	4.1	19 52	4.3
18	SA	08 16	3.8	20 34	4.1
19	<b>SU</b>	08 57	3.5	21 16	3.7
20	M	09 38	3.1	21 57	3.2
21	TU ☽	10 21	2.7	22 42	2.7
22	W	11 10	2.2	23 35	2.2
23	TH			12 12	2.0
24	F	00 45	1.9	13 29	1.9
25	SA	02 03	1.9	14 42	2.1
26	<b>SU</b>	03 13	2.1	15 41	2.5
27	M	04 06	2.5	16 27	2.9
28	TU	04 49	2.8	17 06	3.2
29	W ○	05 26	3.1	17 42	3.5
30	TH	06 00	3.3	18 16	3.7
31	F	06 33	3.4	18 50	3.8

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	SA	07 06	3.5	19 23	3.8
2	SU	07 39	3.5	19 57	3.8
3	M	08 13	3.4	20 33	3.6
4	TU	08 49	3.2	21 11	3.4
5	W	09 29	3.0	21 55	3.0
6	TH ☾	10 18	2.6	22 51	2.6
7	F	11 23	2.3		
8	SA	00 06	2.3	12 49	2.2
9	SU	01 36	2.3	14 18	2.5
10	M	03 00	2.6	15 32	3.1
11	TU	04 07	3.2	16 31	3.7
12	W ●	05 01	3.7	17 21	4.2
13	TH	05 48	4.1	18 07	4.5
14	F	06 30	4.2	18 48	4.6
15	SA	07 10	4.2	19 27	4.4
16	SU	07 47	4.0	20 04	4.1
17	M	08 22	3.7	20 38	3.7
18	TU	08 56	3.2	21 12	3.1
19	W	09 31	2.7	21 49	2.6
20	TH ☽	10 11	2.2	22 34	2.0
21	F	11 08	1.8	23 42	1.6
22	SA			12 40	1.6
23	SU	01 30	1.5	14 18	1.8
24	M	02 55	1.8	15 22	2.4
25	TU	03 48	2.3	16 06	2.9
26	W	04 28	2.8	16 43	3.3
27	TH	05 03	3.2	17 18	3.7
28	F ○	05 36	3.6	17 51	4.0
29	SA	06 08	3.8	18 24	4.2
30	SU	06 40	3.9	18 57	4.2
31	M	07 13	4.0	19 31	4.1

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	TU	07 47	3.8	20 07	3.9
2	W	08 22	3.6	20 45	3.5
3	TH	09 02	3.2	21 29	3.0
4	F ☾	09 51	2.7	22 28	2.4
5	SA	11 02	2.2	23 55	2.0
6	<b>SU</b>			12 43	2.1
7	M	01 39	2.1	14 21	2.5
8	TU	03 03	2.6	15 29	3.2
9	W	04 00	3.3	16 21	3.9
10	TH	04 47	3.8	17 05	4.3
11	F ●	05 28	4.2	17 45	4.5
12	SA	06 06	4.3	18 22	4.5
13	<b>SU</b>	06 41	4.3	18 57	4.4
14	M	07 14	4.1	19 29	4.1
15	TU	07 45	3.7	20 00	3.6
16	W	08 16	3.3	20 31	3.1
17	TH	08 47	2.9	21 04	2.6
18	F ☽	09 24	2.4	21 44	2.0
19	SA	10 15	1.8	22 47	1.5
20	<b>SU</b>	11 45	1.5		
21	M	00 47	1.3	13 44	1.7
22	TU	02 25	1.7	14 50	2.3
23	W	03 17	2.3	15 34	2.9
24	TH	03 56	2.9	16 11	3.4
25	F	04 31	3.4	16 46	3.9
26	SA ○	05 04	3.8	17 20	4.2
27	<b>SU</b>	05 38	4.1	17 55	4.4
28	M	06 12	4.3	18 31	4.4
29	TU	06 47	4.3	19 07	4.3
30	W	07 23	4.1	19 45	4.0

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	TH	08 02	3.7	20 27	3.5
2	F	08 45	3.3	21 17	2.9
3	SA ☾	09 41	2.7	22 24	2.3
4	SU	11 01	2.2	23 57	1.9
5	M			12 44	2.2
6	TU	01 38	2.2	14 12	2.7
7	W	02 50	2.8	15 13	3.4
8	TH	03 41	3.4	16 00	3.9
9	F	04 24	3.8	16 41	4.2
10	SA ●	05 02	4.1	17 19	4.3
11	SU	05 38	4.2	17 54	4.3
12	M	06 11	4.1	18 27	4.1
13	TU	06 42	4.0	18 58	3.8
14	W	07 13	3.7	19 28	3.5
15	TH	07 43	3.4	19 59	3.1
16	F	08 15	3.0	20 32	2.6
17	SA	08 52	2.5	21 12	2.1
18	SU ☽	09 41	2.0	22 10	1.6
19	M	10 57	1.7	23 44	1.4
20	TU			12 42	1.8
21	W	01 30	1.6	13 58	2.2
22	TH	02 30	2.2	14 49	2.8
23	F	03 14	2.8	15 30	3.3
24	SA	03 52	3.4	16 09	3.8
25	SU	04 29	3.8	16 47	4.2
26	M O	05 07	4.2	17 27	4.4
27	TU	05 46	4.4	18 07	4.4
28	W	06 26	4.4	18 49	4.3
29	TH	07 07	4.2	19 33	3.9
30	F	07 51	3.8	20 21	3.4
31	SA	08 42	3.4	21 17	2.9

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	SU ☾	09 43	2.9	22 25	2.4
2	M	11 00	2.6	23 47	2.2
3	TU			12 25	2.6
4	W	01 12	2.3	13 42	2.9
5	TH	02 19	2.8	14 42	3.3
6	F	03 12	3.2	15 31	3.6
7	SA	03 56	3.5	16 14	3.8
8	SU	04 35	3.7	16 52	3.8
9	M ●	05 11	3.8	17 28	3.8
10	TU	05 45	3.9	18 02	3.7
11	W	06 18	3.8	18 34	3.5
12	TH	06 50	3.6	19 06	3.3
13	F	07 22	3.4	19 39	3.0
14	SA	07 56	3.1	20 14	2.7
15	SU	08 34	2.7	20 54	2.3
16	M	09 20	2.4	21 45	1.9
17	TU ☽	10 19	2.1	22 52	1.7
18	W	11 33	2.0		
19	TH	00 11	1.8	12 47	2.2
20	F	01 24	2.1	13 50	2.6
21	SA	02 21	2.6	14 43	3.1
22	SU	03 10	3.1	15 31	3.5
23	M	03 55	3.6	16 18	3.9
24	TU ○	04 40	4.0	17 04	4.2
25	W	05 26	4.3	17 51	4.3
26	TH	06 12	4.3	18 39	4.2
27	F	07 00	4.3	19 29	4.0
28	SA	07 49	4.0	20 20	3.6
29	SU	08 42	3.7	21 14	3.2
30	M	09 39	3.3	22 13	2.8

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

Date		HEIGHTS ABOVE SEA LOCK SILL (3.6m ABOVE CD)			
		High Water			
		Morning		Afternoon	
		Time	m	Time	m
1	TU ☾	10 41	3.0	23 18	2.5
2	W	11 49	2.8		
3	TH	00 28	2.4	12 57	2.8
4	F	01 35	2.6	14 01	2.9
5	SA	02 34	2.8	14 57	3.0
6	SU	03 25	3.0	15 46	3.2
7	M	04 10	3.3	16 30	3.3
8	TU	04 50	3.5	17 09	3.4
9	W ●	05 28	3.6	17 46	3.4
10	TH	06 03	3.6	18 21	3.4
11	F	06 37	3.6	18 54	3.3
12	SA	07 11	3.5	19 28	3.1
13	SU	07 45	3.3	20 02	2.9
14	M	08 21	3.1	20 39	2.7
15	TU	09 01	2.9	21 20	2.5
16	W	09 46	2.7	22 09	2.3
17	TH ☽	10 39	2.5	23 08	2.2
18	F	11 41	2.4		
19	SA	00 15	2.2	12 49	2.5
20	SU	01 24	2.5	13 56	2.8
21	M	02 29	2.9	14 58	3.2
22	TU	03 27	3.3	15 55	3.6
23	W	04 22	3.8	16 50	3.9
24	TH ○	05 14	4.2	17 43	4.2
25	F	06 06	4.4	18 35	4.3
26	SA	06 56	4.6	19 24	4.2
27	SU	07 44	4.5	20 12	4.0
28	M	08 32	4.3	20 59	3.7
29	TU	09 21	3.9	21 47	3.3
30	W ☾	10 10	3.5	22 38	2.9
31	TH	11 04	3.0	23 35	2.5

All times are G.M.T. for non-shaded areas add 1 hour

**Time Zone UT(GMT)**

**BUDE • HOLSWORTHY • HARTLAND**



# TAMAR VETS

**Your trusted local independent vets**



**01288 354796**



**bude@tamarvets.co.uk**



**www.tamarvets.co.uk**



**Emergency Service 01288 354796**



## **CRIME DOESN'T RESPECT OUR BORDERS**

**IF YOU SEE ANYTHING SUSPICIOUS  
ABOUT WHERE, WHEN OR HOW A VESSEL  
AND CREW ARE OPERATING. REPORT IT.**

**Call the Police on 101, quote KRAKEN**

You can contact Crimestoppers anonymously on 0800 555 111  
In an emergency always dial 999



Crimestoppers is an independent charity

# BRENDON BUDE ARMS EST.1872

FREE HOUSE & REAL ALES

TRADITIONAL PUB FOOD

EN-SUITE  
ACCOMMODATION



ENQUIRIES@BRENDONARMS.CO.UK

TEL: 01288 354542



Servicing • Repairs • MOTs

**Colin's Garage Ltd**  
Unit 5, Petherick Mill  
Bude  
EX23 8TF

**01288 354616**

[info@colinsgaragebude.co.uk](mailto:info@colinsgaragebude.co.uk)

[www.colinsgaragebude.co.uk](http://www.colinsgaragebude.co.uk)



**7 Morwenna Terrace**  
**Bude**  
**EX23 8BU**

**Tel: 01288 350377**

# MICHAEL VANSTONE

## Tarmac, Plant hire & Groundworks

Construction Of New Dwellings  
Up To Concrete Floor Slab,  
To Include All Services

Installation Of  
Septic Tanks, Treatment  
Plants, New Water Mains &  
Soakaways

Tarmac Specialists From  
New Road Construction  
To Private Driveways




Full Range Of Plant For Hire:  
Rollers, Compressors,  
Diamond Saws,  
Power Barrows And More.

Construction Of Horse  
Ménages, Concrete Lanes,  
Concrete Shed Bases  
& Much More

All Operatives CITB Registered,  
ISO 9001 Certificated  
& CHAS Accredited

# KILKHAMPTON 01288 321322

# Use the water safely!



**Be seen at night.  
Display navigation lights**



**Be considerate.  
Don't be a hazard  
to others with  
speed or wash**



**Wearing a  
killcord  
saves lives**



**Lifejackets  
are useless  
unless worn**



**Car or boat -  
Don't drink  
and drive**

**Bude Harbour**

**T: 07816 077 755**

**VHF: 12**

If you would like this information in another format or language please contact :

Cornwall Council, County Hall, Treyew Road, Truro, TR1 3AY

e: [customerservices@cornwall.gov.uk](mailto:customerservices@cornwall.gov.uk) t: 0300 1234 100